

**TRUS-T-LIFT DIMENSIONS**

JOB No.	TOTAL TRAVEL	52	INCHES	No. OF LANDINGS	2
LOCATION	UNENCLOSED TRUS-T-LIFT SAMPLEDRAWING				
ARCHITECT					
GENERAL CONTRACTOR					


**SPECIFICATIONS:**

- 34" x 54" LIFT PLATFORM
- 48" x 54" FOOTPRINT
- 72" TOWER HEIGHT
- 0" - 52" LIFT RANGE
- MAXIMUM LOAD 550 lbs.
- 8 FEET/MINUTE LIFT SPEED
- 330 lb. SHIPPING WEIGHT
- SCREW NUT WORM GEAR DRIVE
- MOTOR: 1/2 H.P. 110V A.C.
- POWER SUPPLY: 110V/1PH/60HZ C/W 15A FUSED DISCONNECT
- NON-LOAD BEARING BACKUP SAFETY NUT ON LIFT SHAFT
- SAFETY HANDRAIL ON CARRIAGE
- ZERO-LOAD START IN BOTTOM POSITION
- SOLID DECK WITH UNDER PLATFORM SAFETY PLATE
- UPPER GATE C/W INTERLOCK

<input type="checkbox"/> Accepted as Shown
<input type="checkbox"/> Revise and Resubmit
<input type="checkbox"/> Accepted as Modified
Date: _____
Per: _____


NOTES:  
 - Dimensions are in inches  
 - Designed and built to meet ANSI-A17.1 Safety Code

DWN. BY: B. HANNAH		<b>TRUS-T-LIFT ELEVATOR          INSTALLATION DETAILS          AND SPECIFICATIONS</b>
CHECKED BY:		
SCALE: N.T.S.	DATE: 21/11/03	DRAWING No. 52UCRUGNC
		REV A



SECTION A-A

PLAN VIEW SECTION




SECTION A-A

JOB No.	TOTAL TRAVEL	INCHES	No. OF LANDINGS
	52	mm	2

LOCATION UNENCLOSED TRUS-T>LIFT SAMPLEDRAWING

ARCHITECT

GENERAL CONTRACTOR

DWN. BY:	
B. HANNAH	
CHECKED BY:	TRUS-T-LIFT ELEVATOR INSTALLATION DETAILS AND SPECIFICATIONS

SCALE:	N.T.S.	DATE:	21/11/03	DRAWING No.	52UCRUGNC	REV	A
--------	--------	-------	----------	-------------	-----------	-----	---